

MS 880 STIHL Magnum™ Chain Saw
Professional User



Our most powerful professional saw. Precision-balanced to provide excellent handling and reliability under the most strenuous cutting conditions. Other features include a lightweight flywheel and a dry, easy-to-maintain air filter. Includes decompression valve for easier starting. Wrap handle version (R) also available.

Standard Features

- IntelliCarb™ compensating carburetor
- ElastoStart™ starter handle
- Decompression valve
- One-piece cast muffler design
- Side access chain tensioner
- Heavy-duty air filter
- Extended chip deflector
- Toolless tank filler caps

Optional Features

- Wrap handle version (R)
- 30" bar
- 36" bar (most common)
- 41" bar

MS 880 STIHL Magnum™ Chain Saw	
DISPLACEMENT	121.6 cc (7.42 cu. in.)
ENGINE POWER	6.4 kW (8.6 bhp)
WEIGHT (powerhead only)	
Flush-Cut	10.1 kg (22.3 lbs.) (Shown)
Wrap-Handle	10.3 kg (22.7 lbs.)
FUEL CAPACITY	1300 cc (44 oz.)
CHAIN OIL CAPACITY	700 cc (23.7 oz.)
OILOMATIC® CHAIN	.404" RM2 3/8" RSC3
RECOMMENDED RANGE OF GUIDE BAR LENGTHS	STIHL ROLLOMATIC® 43 to 150 cm (17" to 59")
STIHL recommends #3626 (36 RSC3 75) OILOMATIC® saw chain and 21" 3002 000 9123 Ematic™ guide bar combination.	
Maximum power for the most demanding cutting conditions.	

Distributed by: AMERICAN PROCUREMENT SERVICES

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA

Union Tough Duty Steel Collar Shovel Round Point

For digging and excavation in most soil types

Heavy duty open back tempered steel blade with forward turned blade step

Crimped steel collar to strengthen handle to socket connection strength

48" (122 cm) Ash wood handle

Union 14" (36 cm) Drain Spade

For digging drainage ditches and trenches

14" (36 cm) Open back tempered steel blade with forward turned blade step

27" (69 cm) Ash wood handle with poly D-grip



Distributed by: *AMERICAN PROCUREMENT SERVICES*

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA

PA 50 Splitting Axe



Premium ash wood handle with oversized neck. Drop forged head with precision ground edge for maximum durability. Efficient splitting head contour for exceptional productivity. High-visibility orange handle end and head. Perfect for splitting large amounts of firewood. Long 29.5" handle and 4.4 lb. head for optimal performance.

PA 50 Axe	
OVERALL LENGTH	29.5"
WEIGHT OF CUTTING HEAD	4.4 lb.
All STIHL Precision Series™ Hand Tools include a Limited Lifetime Warranty.	

5.5 Lb (2.5 kg) Planter Axe

by Vaughan & Bushnell (V&B) Manufacturing

36" (91 cm) straight American hickory handle

Combination axe and shovel

For removing stumps & clearing vegetation

For planting/trenching around vegetation

5-1/2 Lbs.

36" (91 cm) Length



Distributed by: *AMERICAN PROCUREMENT SERVICES*

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA

Gutster Series-2 Demolition Bar

Whether you are popping off a single strip of trim or removing an entire roof, the Gutster™ is the lightweight and powerful demo bar designed to do more work in less time with less strain.

- 48in. long
- Angled bar provides excellent balance and lifting power
- The head can get into the smallest crevices
- Chiseled points for small crevices
- Raised multi-nail puller
- Surface multi-nail puller
- Angled lifter plates
- Head features spaced prongs designed to straddle beams and joist



Ames Jackson 10-Lb (4.5 kg) Double Face Sledge Hammer

Used for general sledging operations in striking wood, concrete, m timbers and striking spikes, cold chisels, star drills and hardened n: Length: 32"/36" (81cm/91cm) Hickory, Eye Size: 1" x 1-3/8".



Distributed by: *AMERICAN PROCUREMENT SERVICES*

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA

Vaughan 6-lb Double Face Sledge Hammer

Double Face Sledge Hammer. Flame treated hickory handles. Polished faces with rust resistant black finish on sides.



Vaughan 40oz Ball Pein Hammer

Compression wedged Hickory handles. "Commercial" grade. Length - 16".



Vaughan 16oz Ball Pein Hammer

Compression wedged Hickory handles. "Commercial" grade. Length - 13-3/4".



Distributed by: *AMERICAN PROCUREMENT SERVICES*

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA

Jeep® Contractor Wheelbarrow

6 cu. ft. capacity
1.4mm steel tub
62" steel guaranteed handles
Jeep patented roll bumper
Front and rear stand braces
High gloss powder coated metal parts
16" tube tire
Oil impregnated bushings



Corona 18" Anti-slip Machete

This professional anti-slip machete helps you get the job done quickly. Tempered steel blade for greater strength and longer service life. Heat treated to achieve maximum blade flexibility. Easily sharpened carbon steel blade extends throughout handle. 18" blade. Overall length 23".



Distributed by: *AMERICAN PROCUREMENT SERVICES*

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA

Truper Axes — 5-Lb. Pick Mattock w/Hickory Handle

Traditional chisel and point head dig through the hardest dirt, lift up rocks, stones, and pavers, and cut through roots.

36in. hickory handle

5 lb. combination chisel and point head

Exceeds ASME USA Standard B107.55M and B107.42M



Ames Gardener 14" Welded Bow Rake Heavy Duty Rake

Chrome steel ferrule for maximum strength. 54" stained, seal-coated northern ash handle for strength and durability. Limited 10 year warranty. Head Width:14", Tines: 14.



Distributed by: *AMERICAN PROCUREMENT SERVICES*

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA

Union Welded Garden Hoe

For chopping and weeding in most soil types

6-1/4" x 4-3/4" Forged, shank pattern, beveled steel blade
54" Hardwood handle



Nicholson ProSeries 4 in 1 Quick Change Hacksaw

4-in-1 Nicholson Pro Series Hacksaw Frame comes complete with (1) Nicholson Bi-Metalloy 18-tooth 12-inch hacksaw blade with High Speed Steel edge and (1) Nicholson 8in x 3/4in x 0.035in High Speed Steel Bi-Metal reciprocal saw blade.

Standard 90 degree for general use

45 degree angle for flush cuts

Low profile position for tight spaces

Jab saw configuration for a variety of inside cuts

High tension for tightening the blade up to 30,000 psi

Cushion grip handle for better control and comfort

Magnetic blade storage inside frame



Distributed by: *AMERICAN PROCUREMENT SERVICES*

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA

Flat End Hard-Stone Chisel

1" x 12"

"Target guard" offers 3-3/4" circle of protection against miss hits

Comfort grip

Dasco Pro Concrete Chisel

12", 3/4" stock

Target guard offers 3-3/4" circle of protection against miss hits

Plastic permanently affixed to shaft

Galvanized Round Tub 11.5G

These Round Wash Tubs were designed for heavy-duty use with hot-dipped

The top is reinforced with high strength wire for durability and the corrugated bottoms prevent rust.

These round washtubs are perfect for any household chores. Choose any tub to make decorative additions to any room or for extra storage. This galvanized tub measures 10-1/8"h" x 20" d., 11-1/2 gallons.



Distributed by: *AMERICAN PROCUREMENT SERVICES*

425 SW Madison Ave Suite U, Corvallis, OR – 97333, USA